

**Material Safety Data Sheet**

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.

**U.S. Department of Labor**

Occupational Safety and Health Administration  
(Non-Mandatory Form)  
Form Approved  
OMB No. 1218-0072

IDENTITY (as Used on Label and List)  
WILDCAT TOUCHDOWN

*Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.*

**Section I**

Manufacturer's name WILDCAT PRODUCTS INC

Emergency Telephone Number 817 579-7333

Address (Number, Street, City, State and ZIP Code)

Telephone Number for Information 817- 579- 7333

300 SADDLEVIEW CT.

Date Prepared 05-19-2016

GRANBURY, TEXAS 76048

Signature of Preparer (optional)

**Section II—Hazardous Ingredients/Identity Information DOT HAZARD CLASSIFICATION; FLAMMABLE LIQUID 3**

Hazardous Components (Specific Chemical Identity, Common Name(s))

OSHA PEL	ACGIH TLV	Other Limits Recommended	% (optional)
----------	-----------	--------------------------	--------------

Isopropanol

400

400

CAS#67-63-0

TE- 600 Silicone

N

N

CAS#7732-18-5

**Section III—Physical/Chemical Characteristics**

Boiling Point N/D

Specific Gravity (H2O=1):0.90

Vapor Pressure PSIG@70 F

Melting Point

Solubility in water Dispersible

Evaporation Rate (=1):N/D

Appearance and odor: Non-viscous, white emulsion with alcohol odor

**Section IV—Fire and Explosion Hazard Data**

Flash Point (Method used) 125 F (TCC)

Flammable Limits

%LEL:2%UEL:1

Extinguishing Media Water fog, "alcohol" foam, dry chemical or CO2

Unusual Fire and Hazards None known

**Section V—Reactivity Data**

Stability	Unstable		Conditions to Avoid Ingestion, eye contact
	Stable	X	
Incompatibility ( <i>Mat</i> ) to avoid) any material not compatible with water			
Hazardous Oxides N/A			
Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	

**Section VI—Health Hazard Data**

Route(s) of Entry	Inhalation? X	Skin?	Ingestion? X	Eye? X
Health Hazards ( <i>Acute and Chronic</i> ) Inhalation: Ingestion				
Carcinogenicity N/A	NTP	IARC	OSHA	
Signs and Symptoms of Exposure				
Medical Conditions Generally Aggravated by Exposure				
Emergency and First Aid Procedures flush with water for 15 minutes for eyes...skin irritation ...wash with soap and water Inhalation remove to fresh air: Ingestion DO NOT INDUCE VOMITING GET IMMEDIATE ATTENTION				

**Section VII—Precautions for Safe Handling and Use**

Steps to Be Taken in Case Material Is Released contain spill, keep out of surface water and any sewers	
Waste Disposal Method dispose in accordance with local and state regulations	
Precautions to Be Taken in Handling and Storing store in original container away in a cool place	
Other Precautions	

**Section VII—Control Measures**

Respiratory Protection ( <i>Specify Type</i> ) as required to prevent over exposure		
Ventilation	Local Exhaust explosion proof ventilation is required	Special
	Mechanical ( <i>General</i> )	Other
Protective Gloves as required to minimize skin protection		Eye Protection safety glasses or goggles
Other Protective Clothing or Equipment		
Work/Hygienic Practices		