

Material Safety Data Sheet

May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910 1200. Standard must be consulted for specific requirements.

U.S. Department of Labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

IDENTITY (as Used on Label and List)
TR-60

Note: Blank spaces are not permitted. If any item is not applicable or no information is available, the space must be marked to indicate that.

Section I

Manufacturer's name **WILDCAT PRODUCTS INC**

Emergency Telephone Number 817 579-7333

Address (Number, Street, City, State and ZIP Code)

Telephone Number for Information 817- 579- 7333

300 SADDLEVIEW CT.

Date Prepared 05-19-2016

GRANBURY, TEXAS 76048

Signature of Preparer (optional)

Section II—Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Name(s))

OSHA PEL

ACGIH TLV

Other Limits Recommended

% (optional)

Mineral Spirits

N/E

N/E

CAS#64742-887

Carcinogen

Section III—Physical/Chemical Characteristics

Boiling Point 300F

Specific Gravity (H₂O = 1) u.75

Vapor Pressure (mm Hg) psig @70 aerosol NA

Melting Point n/a

Vapor Density (AIR = 1) 5

Evaporation Rate (Butyl Acetate = 1) n/d

Solubility in Water negligible

Appearance and Odor blue colored liquid with typical petroleum odor with trace of banana fragrance.

Section IV—Fire and Explosion Hazard Data

Flash Point (Method Used) 107F TCC

Flammable Limits

LEL :1

UEL :5

Extinguishing Media Water spray fog, foam, dry chemical or CO2 Do not use a direct water stream

Unusual Fire and Explosion Hazards None known

Section V—Reactivity Data

Stability	Unstable		Conditions to Avoid
	Stable	X	Heat, sparks, open flame

Incompatibility (Materials to Avoid) Oxidizing material

Hazardous Decomposition or Byproducts Oxides of carbon and unidentified organics may be formed during combustion

Hazardous Polymerization	May Occur		Conditions to Avoid
	Will Not Occur	X	Heat, sparks, open flame

Section VI—Health Hazard Data

Route(s) of Entry	Inhalation?	Skin? X	Ingestion?
-------------------	-------------	---------	------------

Health Hazards (Acute and Chronic) Acute toxicity: CNS depression producing headache, dizziness, nausea and loss of consciousness

inhalation: high concentrations or prolonged exposure to lower concentrations may be slightly irritating to mucous membranes

Carcinogenicity	NTP?	IARC Monographs?	OSHA Regulated?
-----------------	------	------------------	-----------------

Signs and Symptoms of Exposure

Medical Conditions
Generally Aggravated by Exposure

Skin irritation, ..eye irritationno chronic affects none known

Emergency and First Aid Procedures flush with water for 15 minutes for eyes...skin irritation ...wash with soap and water

Section VII—Precautions for Safe Handling and Use

Steps to Be Taken in Case Material Is Released or Spilled first contain spill..keep out of surface water

Waste Disposal Method dispose in accordance with local and state regulations

Precautions to Be Taken in Handling and Storing store in original container away from open flame and oxidizing materials as required

Other Precautions

Section VII—Control Measures

Respiratory Protection (Specify Type) as required to prevent over exposure

Ventilation	Local Exhaust explosion proof ventilation is required	Special
	Mechanical (General)	Other

Protective Gloves as required to minimize skin protition Eye Protection safety glasses or goggles

Other Protective Clothing or Equipment

Work/Hygienic Practices